




40 Start




41




42




43




44




45




46



47



48



Messing as:
Brass axle:
 Ø 2.5 mm
 Lengte = afhankelijk
 van gekozen banden

 Length = used for
 tires choosen

49**2x**


profiel / profile:

A= 3 mm

B= 4 mm

Lengte = afhankelijk van gekozen banden

length = used for tires choosen

**50****4x**


profiel / profile:

A= 1 mm

B= 3 mm

Lengte = Kies zelf


length = choose what you like

**51****2x**


profiel / profile:

Lengte = 15 mm

length = 15 mm




52



53

2X



profiel / profile:

A= 3 mm


B= 5 mm

length / length = 19 mm




Ø 1 mm

3 mm



54




55 Start

2X




2X



56




2X




57  X


2X



58  X




59  X



Ready part

60 Optie 1 / Option 1


Vooras spatbord links en rechts:
(meegeleverd in bouwkit)
Front axle fender left and right:
(available in kit)



61




Gebruik
Aluminium buis:
Use Aluminum pipe:
Ø 1.6 mm




62 Optie 2 / Option 2

Spatbord links en rechts:
(niet meegeleverd in bouwkit, zie website)
Fender left and right:
(not available in kit, see website)

Gebruik
Aluminium buis:
Use Aluminum pipe:
Ø 1.6 mm



63




Spatborden links en rechts:
(niet meegeleverd in bouwkit, zie website)

Fenders left and right:
(not available in kit, see website)

64 Start



65



66



67



68




69 Start



70




71



71



73





74



Buig in de gewenste vorm
Bend in the shape you like




profiel / profile:
A = 1 mm



Ready parts

75




Samenstellen Assembly

76



Gebruik :
Use:





= Stuuras onderdeel OVAALasgat
= Steering axle part OVALaxle hole

77

Gebruik :
Use:



= Vaste as onderdeel OVAALasgat
= Not Steering axle part OVALaxle hole



= Voorste stuur as onderdeel ovaal asgat
= Front Steering axle part oval axle hole





NIET LIJMEN / GEBRUIKEN
DO NOT GLUE / USE:




78




79




80




81



82 Ready



Opties: / Options:



Super Single banden
Super Single tires





Dubbelle banden montering
Twin tires mounted



Spatborden breed / smal
Fenders wide / small

Opties: Options:

VMA monsterafname apparaat
VMA specimen collection device



Monster kabinet
Specimen cabinet

